



NATIONAL FENESTRATION RATING COUNCIL LABEL CERTIFICATE

PROJECT INFORMATION

LABEL CERTIFICATE ID: PJ-GFB-17163

Issuance Date: 11/10/2021

NFRC CERTIFIED PRODUCT RATING INFORMATION:*

This is to be completed by an NFRC Approved Calculation Entity (ACE), based on information provided by the Specifying Authority and calculated in accordance with NFRC procedures.

PROJECT LOCATION:

Address: 755 Lake Drive
City: Issaquah **State:** WA **Zip Code:** 98027
Contact person: Jay Clark
Phone: 206.255.3032 **Facsimile:** _____ **Email:** jayc@fergusonconstruction.com
Project name (optional): Costco Garage

IDENTIFICATION OF SPECIFYING AUTHORITY:

Company name: Goldfinch Bros., Inc **ID:** GFB
Address: 2812 Rucker Ave.
City: Everett **State:** WA **Zip Code:** 98201
Contact person: Jeff Douglas **Title:** _____
Phone: 425-258-4662 **Facsimile:** 425-259-6483 **Email:** jeffd@goldfinchbros.com

IDENTIFICATION NAME OF APPROVED CALCULATION ENTITY (ACE) ORGANIZATION:

Company name: Goldfinch Bros., Inc **ID:** GFB
Address: 2812 Rucker Ave.
City: Everett **State:** WA **Zip Code:** 98201
Contact person: Jeff Douglas **Title:** _____
Phone: 425-258-4662 **Facsimile:** 425-259-6483 **Email:** jeffd@goldfinchbros.com

IDENTIFICATION NAME OF INSPECTION AGENCY (IA):

Company name: Not Required **ID:** _____
Address: _____
City: _____ **State:** _____ **Zip Code:** _____
Contact person: _____ **Title:** _____
Phone: _____ **Facsimile:** _____ **Email:** _____

Number of individual products listed on this label certificate: **2**



NATIONAL FENESTRATION RATING COUNCIL LABEL CERTIFICATE

PRODUCT LISTING

FOR CODE COMPLIANCE

LABEL CERTIFICATE ID: PJ-GFB-17163

Issuance Date: 11/10/2021

NFRC CERTIFIED PRODUCT RATING INFORMATION: *

This is to be completed by an NFRC Approved Calculation Entity (ACE), based on information provided by the Specifying Authority and calculated in accordance with NFRC procedures.

PRODUCT LISTING:

						CERTIFIED Performance Rating at NFRC Standard Size		
CPD ID	Product Name	Framing Ref	Glazing Ref	Spacer Ref	Total Area	U-factor**	SHGC**	VT**
					ft²	Btu/hr·ft²·°F	-	-
Metal - Curtain wall/Storefront/Window Wall					43.06			
P-SCH-105533	FW60+SG Structurally Glazed Curtain Wall, 1-1/4" IGU - 6mm SBz50 Optiblu #2, 19mm TGI M, Argon 90%, 6mm Clear	FA-SCH-132505	GA-VTA-22533	SA-TCN-6698	43.06	0.30	0.29	0.46
Metal - Entrance Door					21.60			
P-SCH-105534	ADS65 Out-Swing Doors, 1" IGU - 6mm SB60 Clear #2, 13mm TGI M, Argon 90%, 6mm Clear	FA-SCH-132507	GA-VTA-22569	SA-TCN-6697	21.60	0.40	0.22	0.35

FRAME, GLAZING and SPACER ASSEMBLIES

FRAMING LISTING:

Framing Ref	Supplier ID	Product Type	Frame Material	Description
FA-SCH-132505	SCH	Glazed Wall System	AT	FW60+SG Structurally Glazed Curtain Wall
FA-SCH-132507	SCH	Swinging Door	AT	ADS65 Out-Swing Door

GLAZING LISTING:

Glazing Ref	Supplier ID	# Layers	Low-e	Gap Fill	Description
GA-VTA-22533	VTA	2	Y	Air (10%) / Argon (90%) Mix	1-1/4" IGU - 6mm SBz50 Optiblu #2, Argon 90%, 6mm Clear
GA-VTA-22569	VTA	2	Y	Air (10%) / Argon (90%) Mix	1" IGU - 6mm SB60 Clear #2, Argon 90%, 6mm Clear

SPACER LISTING:

Spacer Ref	Supplier ID	Sealant Config.	Spacer Material	Description
SA-TCN-6697		Dual Seal	Thermo-plastic	TGI M Spacer 1/2" Spacer (TM0102)
SA-TCN-6698		Dual Seal	Thermo-plastic	TGI M Spacer 3/4" Spacer (TM0304)

Note: For NFRC-approved frame, glazing and spacer component performance information see the NFRC Approved Component Library Database: <http://cmast.nfrc.org/Project/CertificateFind.aspx>
*Certification information provided is for those fenestration systems listed and may not encompass all systems for the project.
** Each individual product certified performance rating is based on NFRC standard size in accordance with NFRC procedures.

